

Multi-particle excitonic systems in WSe₂ grown on hBN by molecular beam epitaxy

Julia Kucharek^{1*}, Mateusz Raczyński¹, Rafał Bożek¹, Sławomir Kret³, Takashi Taniguchi², Kenji Watanabe², Piotr Kossacki¹, Mateusz Goryca¹, Wojciech Pacuski¹

¹ Institute of Experimental Physics, Faculty of Physics, University of Warsaw, 02-093 Warsaw, Poland;

² National Institute for Materials Science, Tsukuba 305-0047, Ibaraki, Japan;

³ Institute of Physics, Polish Academy of Sciences, 02-668 Warsaw, Poland;

Monolayer transition-metal dichalcogenides (TMDs) exhibit exceptional optical properties useful for optoelectronic applications. However, for industrial use, large-scale homogeneity optical response is needed. To address this demand we utilize molecular beam epitaxy (MBE), which is a crystal growth technique offering the best structural, electronic, and optical parameters for many semiconducting materials. Here, we report on the WSe₂ grown on hexagonal boron nitride (hBN) by MBE, demonstrating high structural and optical quality on a large-scale. For the first time, multi-particle excitonic systems can be observed in WSe₂ samples fabricated in a bottom-up approach.

Monolayers of WSe₂ were grown by MBE on exfoliated hBN flakes that are the best substrate known for TMDs growth. Because of its atomically smooth surface, lack of dangling bonds and uncompensated charges, hBN substrates allows to grow the highest quality monolayers both in terms of optical and structural properties. Before TMD growth, hBN flakes were exfoliated from bulk and deposited on a Si substrate with polycrystalline SiO₂ buffer. Growth has been realised in two step process: first deposition at relatively low temperature (300 °C) and then annealing at a high temperature (800 °C) under a high Se flux.

WSe₂ was investigated by atomic force microscopy and transmission electron microscopy to verify their structural properties. Both techniques confirm that most of the TMD material is observed in the form of one monolayer thin flakes, with only a small admixture of bilayer areas. Both techniques confirm hexagonal structure of the material as well as high crystalline quality and very low amount of defects. We have used room and low temperature photoluminescence measurements to study optical properties of monolayers. WSe₂ features narrow and resolved spectral lines of neutral and charged exciton and other excitonic systems characteristic for WSe₂ monolayer. Material exhibits high homogeneity of optical properties within micrometres squared.




Fig. 1. a). AFM photo of an hBN flake. b). PL map and an exemplary spectrum taken on the flake from a).